



# CATALOGUE



# HS METAL ENCLOSURE

Code	Dimension	Pack
	300x200x150	1
	300x250x150	1
	250x200x150	1
	350x250x150	1
	350x250x200	1
	350x300x150	1
	350x300x200	1
	400x300x150	1
	400x300x200	1
	400x300x250	1
	450x350x150	1
	450x350x200	1
	450x350x250	1
	500x400x200	1
	500x400x250	1
	600x400x200	1
	600x400x250	1
	600x500x200	1
	600x500x250	1
	600x500x300	

### Technical Characteristic

- **Color, RAL 7035 Grey**
- **Thickness 0,80 mm**
- **IP 54**
- **Included Galvanized Mounting Plate**
- **For Indoor Use**
- **IK10**
- **Hidden Hinges**
- **Bottom Flash ( Gland ) Plate**



# WALL MOUNTED METAL ENCLOSURES IP 54 HORIZONTAL

Code	Dimension	Pack
	200x250x150	1
	200x300x150	1
	250x300x150	1
	300x300x200	1
	300x350x150	1
	300x350x200	1
	300x450x150	1
	300x400x200	1
	300x400x250	1
	350x450x150	1
	350x450x200	1
	350x450x250	1
	400x500x200	1
	400x500x250	1
	400x600x200	1
	400x600x250	1
	400x600x300	1
	500x600x200	1
	500x600x250	1
	500x600x300	1
	500x700x200	1
	500x700x250	1
	500x700x300	1
	600x700x200	1
	600x700x250	1
	600x700x300	1
	600x800x200	1
	600x800x250	1
	600x800x300	1
	600x900x200	1
	600x900x250	1
	600x900x300	1
	600x1000x200	1
	600x1000x250	1
	600x1000x300	1

## Technical Characteristic

- Color, RAL 7035 Grey
- Thickness 0,80 mm
- IP 54
- Included Galvanized Mounting Plate
- For Indoor Use
- Bottom Flash ( Gland ) Plate
- Hidden Hinges
- Foamed In door Gastet



Code	Dimension	Pack
	200x250x150	1
	200x300x150	1
	250x300x150	1
	300x300x150	1
	300x300x200	1
	300x350x150	1
	300x350x200	1
	300x400x150	1
	300x400x200	1
	300x400x250	1
	350x450x200	1
	350x450x250	1
	400x500x200	1
	400x500x250	1
	400x600x200	1
	400x600x250	1
	400x600x300	1
	500x600x200	1
	500x600x250	1
	500x600x300	1
	500x700x200	1
	500x700x250	1
	500x700x300	1
	600x700x200	1
	600x700x250	1
	600x800x200	1
	600x800x250	1
	600x800x300	1
	600x900x250	1
	600x900x300	1
	600x1000x200	1
	600x1000x250	1
	600x1000x300	1
	600x1000x400	1

## Technical Characteristic

- Color, RAL 7035 Grey
- Thickness 1,20 mm
- IP 65
- Included Galvanized Mounting Plate
- Foamed in Door Gasket
- Top and Bottom Flash ( Gland ) Plate
- Hidden Hinges

Code	Dimension	Pack
	600x1200x200	1
	600x1200x300	1
	600x1400x300	1
	600x1400x400	1
	700x1000x200	1
	700x1000x250	1
	700x1000x300	1
	700x1000x400	1
	700x1200x200	1
	700x1200x300	1
	700x1200x400	1
	700x1400x300	1
	700x1400x400	1
	800x1000x200	1
	800x1000x250	1
	800x1000x300	1
	800x1000x400	1
	800x1200x250	1
	800x1200x300	1
	800x1400x300	1
	800x1400x400	1



# METAL ENCLOSURES IP 65 WITH CANOPY

## WALL MOUNTED

Code	Dimension	Pack
	300x400x200	1
	400x500x200	1
	400x600x200	1
	500x700x200	1
	600x800x200	1
	600x1000x250	1



### Technical Characteristic

- Color, RAL 7035 Grey
- IP 65 Protection
- Sheet steel 1,20 mm
- Foamed in Door Gasket
- Mounting Plate in Galvanized
- Bottom Flansh (Gland) Plate
- Hidden Hinges

## FOR FLOOR INSTALLATION

Code	Dimension	Pack
	400x650x200	1
	400x850x250	1
	500x650x250	1
	500x850x250	1
	500x1000x300	1
	600x800x300	1
	600x1050x300	1
	600x1250x300	1
	700x1050x300	1
	700x1250x400	1
	800x1250x400	1



## FOR FLOOR INSTALLATION

Code	Dimension	Pack
	600x1600x400	1
	600x1900x500	1
	600x2100x500	1
	700x1600x400	1
	700x1900x500	1
	700x2100x500	1
	800x1600x400	1
	800x1900x500	1
	800x2100x500	1



### Technical Characteristic

- Color, RAL 7035 Grey
- IP 65
- IK10
- Thickness 1.5 mm
- Foamed in Door Gasket
- Included Galvanized Mounting Plate

## CPD SURFACE DISTRIBUTION CABINETS WITH MOUNTING PLATE

Code	Dimension	Din Rail Modules	Pack
	600x600x200	Mounting Plate	1
	600x750x200	Mounting Plate	1
	600x900x200	Mounting Plate	1
	600x1050x200	Mounting Plate	1
	600x1200x250	Mounting Plate	1
	600x1500x250	Mounting Plate	1
	600x1800x250	Mounting Plate	1

## CPD SURFACE MOUNTING DISTRIBUTION CABINETS WITH MOUNTING PLATE

Code	Dimension	Din Rail Modules	Pack
	400x500x150	Mounting Plate	1
	400x650x150	Mounting Plate	1
	450x500x150	Mounting Plate	1
	450x650x150	Mounting Plate	1

## CPD FLUSH MOUNTING DISTRIBUTION CABINETS WITH MOUNTING PLATE

Code	Dimension	Din Rail Modules	Pack
	600x600x100	Mounting Plate	1
	600x750x100	Mounting Plate	1
	600x900xx100	Mounting Plate	1
	600x1050x100	Mounting Plate	1

## CPD-FLUSH MOUNTING-DISTRIBUTION CABINET WITH MOUNTING PLATE

Code	Dimension	Din Rail Modules	Pack
	400x500x100	Mounting Plate	1
	400x650x100	Mounting Plate	1
	450x500xx100	Mounting Plate	1
	450x650x100	Mounting Plate	1

## Technical Characteristic

- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System
- IP 55



## CPD SURFACE DISTRIBUTION CABINETS WITH DIN RAIL ACCESSORY + BLANK COVER h: 200 m

Code	Dimension	Din Rail Modules	Pack
	600x600x200	48M (24x2 rows) + Blank Cover	1
	600x750x200	72M (24x3 rows) + Blank Cover	1
	600x900x200	96M (24x4 rows) + Blank Cover	1
	600x1050x200	120M (24x5 rows) + Blank Cover	1
	600x1200x250	144M (24x6 rows) + Blank Cover	1
	600x1500x250	192M (24x8 rows) + Blank Cover	1
	600x1800x250	240M (24x10 rows) + Blank Cover	1

### Technical Characteristic

- From 48 to 264 Modules
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Triangle Lock System

## CPD SURFACE MOUNTING DISTRIBUTION CABINETS WITH DIN RAIL ACCESSORY + BLANK COVER

Code	Dimension	Din Rail Modules	Pack
	400x500x150	30M (15x2 rows)	1
	400x650x150	45M (15x3 rows)	1
	450x500x150	34M (17x2 rows)	1
	450x650x150	51M (17x3 rows)	1

### Technical Characteristic

- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System
- IP 55

## CPD FLUSH MOUNTING DISTRIBUTION CABINETS WITH DIN RAIL ACCESSORY + BLANK COVER h:200 mm

Code	Dimension	Din Rail Modules	Pack
	600x600x100	66M (22x3 rows)	1
	600x750x100	88M (22x4 rows)	1
	600x900x100	110M (22x5 rows)	1
	600x1050x100	132M (22x6 rows)	1

## CPD FLUSH MOUNTING DISTRIBUTION CABINETS WITH DIN RAIL ACCESSORY + BLANK COVER

Code	Dimension	Din Rail Modules	Pack
	400x500x100	30M (15x2 rows)	1
	400x650x100	45M (15x3 rows)	1
	450x500x100	34M (17x2 rows)	1
	450x650x100	51M (17x3 rows)	1

## CPD SURFACE DISTRIBUTION CABINETS WITH DIN RAIL ACCESSORY Technical Characteristic

Code	Dimension	Din Rail Modules	Pack
	600x600x200	72M (24x3 rows)	1
	600x750x200	96M (24x4 rows)	1
	600x900x200	120M (24x5 rows)	1
	600x1050x200	144M (24x6 rows)	1
	600x1200x250	168M (24x7 rows)	1
	600x1500x250	216M (24x9 rows)	1
	600x1800x250	264M (24x11 rows)	1

- From 48 to 264 Modules
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Triangle Lock System

## CPD SURFACE DISTRIBUTION CABINETS WITH DIN RAIL ACCESSORY

Code	Dimension	Din Rail Modules
	400x500x150	45M (15x3 rows)
	400x650x150	60M (15x4 rows)
	450x500x150	51M (17x3 rows)
	450x650x150	68M (17x4 rows)

## CPD FLUSH MOUNTING DISTRIBUTION CABINETS WITH DIN RAIL ACCESSORY

Code	Dimension	Din Rail Modules
	600x600x100	72M (22x4 rows)
	600x750x100	110M (22x5 rows)
	600x900x100	132M (22x6 rows)
	600x1050x100	154M (22x7 rows)

### Technical Characteristic

- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System
- IP 55

## CPD FLUSH MOUNTING DISTRIBUTION CABINETS WITH DIN RAIL ACCESSORY

Code	Dimension	Din Rail Modules
	400x500x100	30M (15x2 rows)
	400x650x100	45M (15x3 rows)
	450x500x100	34M (17x2 rows)
	450x650x100	51M (17x3 rows)

## COMPLEMENTARY ITEMS

Code	Din Modules	Pack
	Terminal Blocks - 24M	1
	Terminal Blocks - 36M	1
	24M Din Rail Kit - 150mm. Height	1
	24M Din Rail Kit - 200mm. Height	1
	Blank Module Cover - 150mm. Height	1
	Blank Module Cover -200mm. Height	1
	Mounting Plate for	1
	Mounting Plate for	1
	Base Plate for Floor Installation - 20cm	1
	Base Plate for Floor Installation - 25cm	1
	Cable Entry Plate With Brush Style - 25cm	1
	Cable Entry Plate With Brush Style - 20cm	1
	Metal Lock Set For CPD range	1

## Technical Characteristic

- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System
- IP 55

## SURFACE MOUNTED

Code	Dimension	Din Rail Modules	Pack
	320x300x150	24M (2x12 rows)	1
	320x450x150	36M (3x12 rows)	1
	320x600x175	48M (4x12 rows)	1
	400x600x175	60M (5x12 rows)	1

## FLUSH MOUNTED

Code	Dimension	Din Rail Modules
	320x300x140	24M (2x12 rows)
	320x450x140	36M (3x12 rows)
	320x600x140	48M (4x12 rows)
	400x600x140	60M (5x12 rows)

## FLUSH MOUNTED

Code	Dimension	Description	Pack
	500x800x140	100M (5x20)	1
	500x950x165	120M (6x20)	1
	750x800x165	150M (10x15) Double Doors	1
	750x1000x165	180M (12x15) Double Doors	1

## COMPLEMENTARY ITEMS

Code	Dimension	Description	Pack
	145x273x5	12M Blank Cover	1
	145x273x9	15M Blank Cover	1
	455x150x50	12M DIN RAIL FRAME	1
	455x150x10	15M DIN RAIL FRAME	1



# CONTACT US;



+90 212544 00 04



info@hsgrup.com.tr



Cumhuriyet Mah.Mücahit Sk. No: 34-38-A  
İstanbul / Türkiye